
Saint John Neumann Catholic School Sports Physical Packet



Physical Examination Form Must be filled out and signed by the child's doctor

History Form

Must be filled out by a parent and signed by the student and parent

Concussion Information Packet

Last page must be initialed and signed by both student and parent

Sudden Cardiac Arrest Packet

Last page must be signed by both student and parent

Packet must be completed and turned into the school office before the student is able to participate in any sport

■ PREPARTICIPATION PHYSICAL EVALUATION

PHYSICAL EXAMINATION FORM

Name			Date of bir	th
PHYSICIAN REMINDERS 1. Consider additional questions on more sensitive issues • Do you feel stressed out or under a lot of pressure? • Do you ever feel sad, hopeless, depressed, or anxious • Do you leel safe at your home or residence? • Have you ever tried cigarettes, chewing tobacco, snuf • During the past 30 days, did you use chewing tobacco • Do you drink alcohol or use any other drugs? • Have you ever taken anabolic steroids or used any off • Have you ever taken anabolic steroids or used any off • Do you wear a seat belt, use a helmet, and use condo 2. Consider reviewing questions on cardiovascular symptor	f, or dip? o, snuff, or dip? her performance supplement? n or lose weight or improve your perform ms?	ance?		
EXAMINATION				
Height Weight	☐ Male	☐ Female		
	ulse Vision R	and the second s	L 20/	Corrected D Y D N
MEDICAL Appearance Marian stigmata (kyphoscoliosis, high-arched palate, parm span > height, hyperlaxity, myopia, MVP, aortic inst		NORMAL	A	BNORMALFINDINGS
Eyes/ears/nose/throat Pupils equal Hearing				
Lymph nodes				
Heart* • Murmurs (auscultation standing, supine, +/- Valsalva) • Location of point of maximal impulse (PMI)				
Pulses Simultaneous femoral and radial pulses				
Lungs				
Abdomen				
Genitourinary (males only) ⁵				
Skin Neurologic				
MUSCULOSKELETAL				
Neck				
Back				
Shoulder/arm Elbow/forearm	W-141-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-			
Wrist/hand/fingers			1	
Hip/thigh				
Knee				
Leg/ankle				
Foot/toes				
Functional Duck-walk, single leg hop				
*Consider ECG, echocardiogram, and referral to cardiology for abnorn *Consider GU exam if in private setting. Having third party present is *Consider cognitive evaluation or baseline neuropsychiatric testing if	recommended.			
☐ Cleared for all sports without restriction				
☐ Cleared for all sports without restriction with recomme	ndations for further evaluation or treatme	ent for		
☐ Not cleared				
□ Pending further evaluation				
□ For any sports				
☐ For certain sports				
Reason				
Recommendations				
I have examined the above-named student and comple participate in the sport(s) as outlined above. A copy of tions arise after the athlete has been cleared for partic explained to the athlete (and parents/guardians).	the physical exam is on record in my	office and can be mad	e available to the school	at the request of the parents. If condi-
Name of physician (print/type)				Date
Address				
Signature of physician				, MD or DC
Wear was a community or remove the community of the complete or reducible from the complete of the community	CONTRACTOR OF THE CONTRACTOR O			

©2010 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medical Society for Sports Medicine, American Orthopaedic Society for Sports Medicine, and American Osteopathic Academy of Sports Medicine. Permission is granted to reprint for noncommercial, educational purposes with acknowledgment. HE0503

■ PREPARTICIPATION PHYSICAL EVALUATION

HISTORY FORM

					Date of birth		
Sex	Age	GradeS	chool	***************************************	Sport(s)		
					edicines and supplements (herbal and nutritional) that you are currently		
				711J-117			,
Do you have a Medicines	any allergies? s	☐ Yes ☐ No If yes, please in ☐ Pollens	dentify sp		ergy below. □ Food □ Stinging Insects		
xplain "Yes" a	answers below. C	ircle questions you don't know the	answers t	ю.			
GENERAL QUE	STIONS		Yes	No	MEDICAL QUESTIONS	Yes	No
Has a doctor any reason		stricted your participation in sports for			26. Do you cough, wheeze, or have difficulty breathing during or after exercise?		
2. Do you hav	e any ongoing med	ical conditions? If so, please identify			27. Have you ever used an inhaler or taken asthma medicine?		
		mia 🗆 Diabetes 🗆 Infections			28. Is there anyone in your family who has asthma?		<u> </u>
Other:	ver spent the night	in the hospital?	-		29. Were you born without or are you missing a kidney, an eye, a testicle (males), your spleen, or any other organ?		
	ver had surgery?	in the thospital:		-	30. Do you have groin pain or a painful bulge or hernia in the groin area?		
	H QUESTIONS ABO	IUT YOU	Yes	No	31. Have you had infectious mononucleosis (mono) within the last month?		
5. Have you e	ver passed out or n	early passed out DURING or			32. Do you have any rashes, pressure sores, or other skin problems?		†
AFTER exer	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~				33. Have you had a herpes or MRSA skin infection?		
	ver had discomfort, ig exercise?	pain, tightness, or pressure in your			34. Have you ever had a head injury or concussion?		
		kip beats (irregular beats) during exercise	9?		35. Have you ever had a hit or blow to the head that caused confusion,		
		t you have any heart problems? If so,			prolonged headache, or memory problems? 36. Do you have a history of seizure disorder?	 	┼
check all th		—			37. Do you have a history of serzore disorder?	 	+
☐ High cl	lood pressure holesterol aki disease	☐ A heart murmur ☐ A heart infection			38. Have you ever had numbness, tingling, or weakness in your arms or legs after being hit or falling?		<u> </u>
	or ever ordered a te	Other:st for your heart? (For example, ECG/EKG	,		39. Have you ever been unable to move your arms or legs after being hit or falling?		
		more short of breath than expected			40. Have you ever become ill while exercising in the heat?	 	
during exe		The other of broad than expected			41. Do you get frequent muscle cramps when exercising?		
11. Have you e	ever had an unexpla	ined seizure?			42. Do you or someone in your family have sickle cell trait or disease?		
Do you get during exel		of breath more quickly than your friends			43. Have you had any problems with your eyes or vision?		
	manager to the conservation of the	OUT YOUR FAMILY	Yes	No	44. Have you had any eye injuries?		<u> </u>
		ative died of heart problems or had an		7-11-0 50	45. Do you wear glasses or contact lenses?	<u> </u>	—
unexpected	d or unexplained su	dden death before age 50 (including			46. Do you wear protective eyewear, such as goggles or a face shield?		-
14. Does anyon	ne in your family ha	cident, or sudden infant death syndrome) we hypertrophic cardiomyopathy, Marfan ht ventricular cardiomyopathy, long QT			47. Do you worry about your weight? 48. Are you trying to or has anyone recommended that you gain or lose weight?		\vdash
		in ventricular cardiomyopathy, long Q1 , Brugada syndrome, or catecholaminerg	ic		49. Are you on a special diet or do you avoid certain types of foods?	ļ	+
	ic ventricular tachyo			ļ	50. Have you ever had an eating disorder?	 	+
	ne in your family ha defibrillator?	ve a heart problem, pacemaker, or			51. Do you have any concerns that you would like to discuss with a doctor?	†	+
		unexplained fainting, unexplained		 	FEMALES ONLY	5,755	133
	r near drowning?	Torresponded rainting, arresponde			52. Have you ever had a menstrual period?		
BONE AND JO	INT QUESTIONS		Yes	No	53. How old were you when you had your first menstrual period?		
	ever had an injury to d you to miss a pra	a bone, muscle, ligament, or tendon ctice or a game?			54. How many periods have you had in the last 12 months? Explain "yes" answers here	<u> </u>	
18. Have you e	ever had any broker	or fractured bones or dislocated joints?			Explain yes unstrois here		
	ever had an injury th therapy, a brace, a	nat required x-rays, MRI, CT scan, cast, or crutches?					
	ever had a stress fra						
		you have or have you had an x-ray for ne bility? (Down syndrome or dwarfism)	ck				
		orthotics, or other assistive device?					
		or joint injury that bothers you?		ļ			
	·	painful, swollen, feel warm, or look red?					
25. Do you hav	ve any history of juv	venile arthritis or connective tissue diseas	ie?	1			
I hereby stat	e that, to the be	st of my knowledge, my answers	to the ab	ove que	estions are complete and correct.		
		Signati					

© 2010 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medical Society for Sports Medicine, American Osteopathic Academy of Sports Medicine. Permission is granted to reprint for noncommercial, educational purposes with acknowledgment.

HESSG

9-2681/0410

CONCUSSION

INFORMATION AND SIGNATURE FORM FOR STUDENT-ATHLETES & PARENTS/LEGAL GUARDIANS

(Adapted from CDC "Heads Up Concussion in Youth Sports")

Public Chapter 148, effective January 1, 2014, requires that school and community organizations sponsoring youth athletic activities establish guidelines to inform and educate coaches, youth athletes and other adults involved in youth athletics about the nature, risk and symptoms of concussion/head injury.

Read and keep this page.

Sign and return the signature page.

A concussion is a type of traumatic brain injury that changes the way the brain normally works. A concussion is caused by a bump, blow or jolt to the head or body that causes the head and brain to move rapidly back and forth. Even a "ding," "getting your bell rung" or what seems to be a mild bump or blow to the head can be serious.

Did You Know?

- Most concussions occur without loss of consciousness.
- Athletes who have, at any point in their lives, had a concussion have an increased risk for another concussion.
- Young children and teens are more likely to get a concussion and take longer to recover than adults.

WHAT ARE THE SIGNS AND SYMPTOMS OF CONCUSSION?

Signs and symptoms of concussion can show up right after the injury or may not appear or be noticed until days or weeks after the injury.

If an athlete reports **one or more** symptoms of concussion listed below after a bump, blow or jolt to the head or body, s/he should be kept out of play the day of the injury and until a health care provider* says s/he is symptom-free and it's OK to return to play.

SIGNS OBSERVED BY COACHING STAFF	SYMPTOMS REPORTED BY ATHLETES
Appears dazed or stunned	Headache or "pressure" in head
Is confused about assignment or position	Nausea or vomiting
Forgets an instruction	Balance problems or dizziness
Is unsure of game, score or opponent	Double or blurry vision
Moves clumsily	Sensitivity to light
Answers questions slowly	Sensitivity to noise
Loses consciousness, even briefly	Feeling sluggish, hazy, foggy or groggy
Shows mood, behavior or personality changes	Concentration or memory problems
Can't recall events prior to hit or fall	Confusion
Can't recall events after hit or fall	Just not "feeling right" or "feeling down"

*Health care provider means a Tennessee licensed medical doctor, osteopathic physician or a clinical neuropsychologist with concussion training

CONCUSSION DANGER SIGNS

In rare cases, a dangerous blood clot may form on the brain in a person with a concussion and crowd the brain against the skull. An athlete should receive immediate medical attention after a bump, blow or jolt to the head or body if s/he exhibits any of the following danger signs:

- · One pupil larger than the other
- Is drowsy or cannot be awakened
- A headache that not only does not diminish, but gets worse
- Weakness, numbness or decreased coordination
- Repeated vomiting or nausea
- Slurred speech
- Convulsions or seizures
- Cannot recognize people or places
- Becomes increasingly confused, restless or agitated
- · Has unusual behavior
- Loses consciousness (even a brief loss of consciousness should be taken seriously)

WHY SHOULD AN ATHLETE REPORT HIS OR HER SYMPTOMS?

If an athlete has a concussion, his/her brain needs time to heal. While an athlete's brain is still healing, s/he is much more likely to have another concussion. Repeat concussions can increase the time it takes to recover. In rare cases, repeat concussions in young athletes can result in brain swelling or permanent damage to their brains. They can even be fatal.

Remember:

Concussions affect people differently. While most athletes with a concussion recover quickly and fully, some will have symptoms that last for days, or even weeks. A more serious concussion can last for months or longer.

WHAT SHOULD YOU DO IF YOU THINK YOUR ATHLETE HAS A CONCUSSION?

If you suspect that an athlete has a concussion, remove the athlete from play and seek medical attention. Do not try to judge the severity of the injury yourself. Keep the athlete out of play the day of the injury and until a health care provider* says s/he is symptom-free and it's OK to return to play.

Rest is key to helping an athlete recover from a concussion. Exercising or activities that involve a lot of concentration such as studying, working on the computer or playing video games may cause concussion symptoms to reappear or get worse. After a concussion, returning to sports and school is a gradual process that should be carefully managed and monitored by a health care professional.

* Health care provider means a Tennessee licensed medical doctor, osteopathic physician or a clinical neuropsychologist with concussion training.

Student-athlete & Parent/Legal Guardian Concussion Statement

	igned and returned to school or communion in practice or play.	ity youth athletic activit	y prior to	
Student-Atl	nlete Name:			
Parent/Leg	al Guardian Name(s):			
Α	fter reading the information sheet, I am aware	of the following informat	ion:	
Student- Athlete initials		<u> </u>	Parent/Legal Guardian initials	
	A concussion is a brain injury which should b parents, my coach(es) or a medical profession			
	A concussion cannot be "seen." Some symptoright away. Other symptoms can show up ho injury.	oms might be present		
	I will tell my parents, my coach and/or a medical professional about my injuries and illnesses.			
	I will not return to play in a game or practice if a hit to my head or body causes any concussion-related symptoms.			
	I will/my child will need written permission from a health care provider* to return to play or practice after a concussion.			
	Most concussions take days or weeks to get concussion can last for months or longer.			
	After a bump, blow or jolt to the head or body an athlete should receive immediate medical attention if there are any danger signs such as loss of consciousness, repeated vomiting or a headache that gets worse.			
	After a concussion, the brain needs time to heal. I understand that I am/my child is much more likely to have another concussion or more serious brain injury if return to play or practice occurs before the concussion symptoms go away.			
	Sometimes repeat concussion can cause serious and long-lasting problems and even death.			
	I have read the concussion symptoms on the Concussion Information Sheet.			
	e provider means a Tennessee licensed medical dologist with concussion training	octor, osteopathic physicia	n or a clinical	
Signature of	f Student-Athlete	Date		
Signature o	f Parent/Legal guardian	Date	*********	

Athlete/Parent/Guardian Sudden Cardiac Arrest Symptoms and Warning Signs Information Sheet and Acknowledgement of Receipt and Review Form

What is sudden cardiac arrest?

Sudden cardiac arrest (SCA) is when the heart stops beating, suddenly and unexpectedly. When this happens, blood stops flowing to the brain and other vital organs. SCA doesn't just happen to adults; it takes the lives of students, too. However, the causes of sudden cardiac arrest in students and adults can be different. A youth athlete's SCA will likely result from an inherited condition, while an adult's SCA may be caused by either inherited or lifestyle issues. SCA is NOT a heart attack. A heart attack may cause SCA, but they are not the same. A heart attack is caused by a blockage that stops the flow of blood to the heart. SCA is a malfunction in the heart's electrical system, causing the heart to suddenly stop beating.

How common is sudden cardiac arrest in the United States?

SCA is the #1 cause of death for adults in this country. There are about 300,000 cardiac arrests outside hospitals each year. About 2,000 patients under 25 die of SCA each year. It is the #1 cause of death for student athletes.

Are there warning signs?

Although SCA happens unexpectedly, some people may have signs or symptoms, such as:

- fainting or seizures during exercise;
- unexplained shortness of breath;
- dizziness;
- extreme fatigue;
- · chest pains; or
- racing heart.

These symptoms can be unclear in athletes, since people often confuse these warning signs with physical exhaustion. SCA can be prevented if the underlying causes can be diagnosed and treated.

What are the risks of practicing or playing after experiencing these symptoms?

There are risks associated with continuing to practice or play after experiencing these symptoms. When the heart stops, so does the blood that flows to the brain and other vital organs. Death or permanent brain damage can occur in just a few minutes. Most people who experience SCA die from it.

Public Chapter 325 - the Sudden Cardiac Arrest Prevention Act

The act is intended to keep youth athletes safe while practicing or playing. The requirements of the act are:

 All youth athletes and their parents or guardians must read and sign this form. It must be returned to the school before participation in any athletic activity. A new form must be signed and returned each school year.

Adapted from PA Department of Health: Sudden Cardiac Arrest Symptoms and Warning Signs Information Sheet and Acknowledgement of Receipt and Review Form. 7/2013

- The immediate removal of any youth athlete who passes out or faints while participating in an athletic activity, or who exhibits any of the following symptoms:
 - (i) Unexplained shortness of breath;
 - (ii) Chest pains;
 - (iii) Dizziness
 - (iv) Racing heart rate; or
 - (v) Extreme fatigue; and
- Establish as policy that a youth athlete who has been removed from play shall not return to the practice or competition during which the youth athlete experienced symptoms consistent with sudden cardiac arrest
- Before returning to practice or play in an athletic activity, the athlete must be evaluated
 by a Tennessee licensed medical doctor or an osteopathic physician. Clearance to full or
 graduated return to practice or play must be in writing.

I have reviewed and understand the symptoms and warning signs of SCA.

Signature of Student-Athlete	Print Student-Athlete's Name Date
Signature of Parent/Guardian	Print Parent/Guardian's Name Date